Manage a "Cegid loop API Cabinet"

API Collaborative offer and provisioning

If you want to use these APIs, you will need to subscribe to the "Advanced pack Loop service" in cegidlife.



1. Acces to Catalog, click on the link :

```
Catalog of API
```

In "search operations", you can also search "Collaborative" or Group by tag "Paramètres cabinet function"

Group by tag
+7
Paramètres cabinet functions ***
POST Add Collaborative Offer
POST Remove collaborative Offer

The collaborative offers can be found in Loop Hub, you can follow this link for the documentation

Add Collaborative Offer (POST)

1. Add offer using the API

Here is the list of Collaborativre TPE offer on Loop Hub :

Collaboratif TPE - Offre Co-production	Cegid	\checkmark
Collaboratif TPE - Offre Consultation	Cegid	
Collaboratif TPE - Offre Start	Cegid	~

2. Let's try the API POST (Add offer)

Subscription key	af72af01b41d46d79f55b9e6
Parameters	
+ Add parameter	
Headers	
Cache-Control	no-cache
Ogn Anin Subagi	
ocp-Aprill-Subsci	,o,
x-apikey	1EKCKNJSAI825JQG0EXX8JPI4:lql
+ Add header	
BODY Request body format	Raw O Binary
{	
"codeDossier" "offre": "cor	": "MANON001", nsultation"
}	

3. Fill in the following information : subscription Key, x-apikey and body

Body by example : { "codeDossier": "MANON001", "offre": "consultation" }

offer can take as value (small caps) : "start", "co-production" and "consultation"

Subscription key	af72af01b41d46d79f55b9e6
Parameters	
+ Add parameter	
Headers	
Cache-Control	no-cache
Ocp-Apim-Subsc:	<u>କ</u>
x-apikey	1EKCKNJSAI825JQG0EXX8JPI4:lql
x-apikey + Add header	1EKCKNJSAI825JQG0EXX8JPI4:lql
x-apikey + Add header Body	1EKCKNJSAI825JQG0EXX8JPI4:lq1

4. Click on try, attempt is successful if it displays 200 OK

HTTP response

HTTP/1.1 200 OK

```
content-type: application/json
date: Tue, 08 Mar 2022 09:53:07 GMT
requestid: a78dca96-84a5-48f5-b0be-508938b17968
strict-transport-security: max-age=15724800; includeSubDom
ains
x-request-id: 2227c6a3a07de576c7ed8a33202592ca
```

```
{
    "message": "L'offre consultation a été ajoutée au doss
ier client MANON001"
}
```

5. Offer is added in the file



Remove Collaborative Offer (POST)

1. Select let's try "Remove collaborative Offer"

/collaborativeOffer/removeOffer

Engagement		<i>⊵</i> * ×
Numéro mission:*	LM002	
Description:	ENGAGEMENT API2	
Service:		
Engagement manager:		•
Dossier Client:	MANON001	
Entité ID:	MANON001	
Date de début:		
Date de fin:		
Statut:	Avant-projet	•
Mission:	Compta	•
Date de renouvellement:	31/12/2020	
	V Ok	× Annuler

2. On the body, we change the fields that we want

{ "codeDossier": "MANON001", "offre": "consultation" }

Manage a	"Cegid lo	oop API	Cabinet'
----------	-----------	---------	----------

Parameters	
+ Add parameter	
Headers	
Cache-Control	no-cache
x-apikey	1EKCKNJSAI825JQG0EXX8JPI4:lq1
Ocp-Apim-Subsc	· · · · · · · · · · · · · · · · · · ·
Ocp-Apim-Subsc:	

af72af01b41d46d79f55b9e6

The Result 200 OK :

Subscription key

{ "message": "L'offre consultation a été retirée du dossier client MANON001" }

LOOPHUB (Get)

1. Select let's try "LOOPHUB"

Retrieves the list of folders associated with the application key

On the body, we change the fields that we want

{ "apiKey": "33R7P0ZERKBKOJ67I2XLFX6JT", "domain": "TESTRDDCABINET" }

Subscription key	af72af01b41d46d79f55b9e6
Parameters	
+ Add parameter	
Headers	
Cache-Control	no-cache
X-APIKEY	33R7P0ZERKBKOJ67I2XLFX6JT:ZKb
Ocp-Apim-Subsc:	•••••• •
+ Add header	
Body	
Request body format	Raw O Binary
{	
"apiKey": "33R7	POZERKBKOJ67I2XLFX6JT",
"domain": "TEST	RDDCABINET"
1	

The Result 200 OK :

HTTP response

```
HTTP/1.1 200 OK
content-type: application/json
date: Tue, 08 Mar 2022 11:20:55 GMT
requestid: 6ef25ce0-46c7-4791-9621-cd3b51fb6d21
strict-transport-security: max-age=15724800; includeSubDom
ains
x-request-id: c05dde6027ad087bb242e54e0f6c2b11
[{
    "objectId": "a05eaac0-7939-497b-81bb-911958caa6ea",
    "codeIbs": "044212",
    "nom": "",
    "prenom": "",
    "nomUsuel": "044212",
    "raisonSociale": "044212",
    "maitreDossier": "rakik-qa@devloop.onmicrosoft.com",
    "maitreDossierId": "28c12c49-d4a7-4ef6-bb68-c278451c25
ae",
     "engagementManager": "rakik-qa@devloop.onmicrosoft.co
m",
    "engagementManagerId": "28c12c49-d4a7-4ef6-bb68-c27845
1c25ae"
}, {
    "objectId": "b42ba973-07ce-4c6a-873a-5509ab7a20e2",
    "codeIbs": "MANON001",
    "nom": "",
    "prenom": "",
    "nomUsuel": "MANON001",
    "raisonSociale": "MANON001",
    "maitreDossier": "manon@devloop.onmicrosoft.com",
```

Add provision company (POST)

1. Select let's try "provisionCompany"

Supplies the SQL database as well as the GED of a client file

/companyProvisioning/provisionCompany



MANON004 MANON004

A préparer

2. On the body we change the fields that we want { "codeDossier": "MANON001", "offre": "consultation" }

POST	/companyProvisioning/provisionC	ompany	
Approvisi	onne la base SQL ainsi que la GED d'un dossier cl	ient	
Paramet	ers		
No paran	neters		
Request	body ^{required}		
Please lo	ok at the Example Value and Model below		
{ "code }	Dossier": "MANON004"		
The Dee			
The Res	Suit 200 OK .		
Status b	ecomes "Opérationnel"	MANON004	MANON

Add provisionning Client (POST)

1. Select let's try "addClient"

Adds the contact person and the corresponding client user

/provisionningCollab/addClient

MANON004 MANON004

A préparer

2. On the body, we change the fields that we want

{ "email": "mentressangle@cegid.com", "codeDossier": "CEGID003", "offre": "consultation", "nom": "API", "prenom": "COLLAB", "telephone": "0705060302", "profile": "2.0", "social": true }

Request body ^{required}
Please look at the Example Value and Model below
<pre>{ "email": "mentressangle@cegid.com", "codeDossier": "CEGID003", "offre": "consultation", "nom": "API", "prenom": "COLLAB", "telephone": "COTO5060302", "profile": "2.0", "social": true }</pre>

You may have these errors :

"L'e-mail de cet interlocuteur est déjà associé à un autre interlocuteur" : This contact's email is already associated with another contact

"Pour proposer un service à un interlocuteur vous devez d'abord l'inviter sur votre tenant" : To offer a service to an interlocutor, you must first invite him to your tenant in Teams

The Result 200 OK :

Reponse Body : {"interloc": { "module": "cabinet", "className": "interlocuteur", "data": { "objectId": "6bd825aa-995e-44a4-a182-f03b5bc6a888", "\$status": "none", "revisionId": "0x000000006B3B7" } }

In Loop, menu "Paramétrage", "clients", "interlocuteurs", you will find your contact :

Paramétrage > Clients > Interlocuteurs					
+ Ajouter 🖉 Modifier 💼 Supprimer 上 Sauvegarder					7 • 3 • % •
	Nom	Prénom	Numéro de téléphone mobile	Numéro de tél	E-mail
1	API	COLLAB	0705060302		mentressangle60@gmail.com

update provisionning Client (POST)

A préparer

1. Select let's try "updateClient"

Modifies the contact person and the corresponding client user

/provisionningCollab/updateClient

MANON004 MANON004

2. On the body, we change the fields that we want, by example phone number :

{ "email": "mentressangle@cegid.com", "codeDossier": "CEGID003", "offre": "consultation", "nom": "API", "prenom": "COLLAB", "telephone": "0405060302", "profile": "2.0", "social": true }

POST	/provisionningCollab/updateClient
Modifie l'in	terlocuteur et l'utilisateur client correspondant
Parameter	rs
No parame	eters
Request b	ody ^{required}
Please lool	k at the Example Value and Model below
<pre>{ "email "codeD "offre "nom": "preno "telep "profi "socia "actif "defau }</pre>	": "string", bossier": "string", "string", wm": "string", whome": "string", le": "string", le": true, il": true, iltIssuer": true

You may have these errors :

"interlocuteur n'existe pas" : interlocutor does not exist

Manage a "Cegid loop API Cabinet"

"Pour proposer un service à un interlocuteur vous devez d'abord l'inviter sur votre tenant" : To offer a service to an interlocutor, you must first invite him to your tenant in Teams

The Result 200 OK :

Reponse Body : L'application est déjà affectée à l'interlocuteur.

In Loop, menu Paramétrage, clients, interlocuteurs => data changes :

Paramétrage > Clients > Interlocuteurs						
+ Ajouter 🖉 Modifier 🕅 S		upprimer 上 Sauvegarder			∀ • 𝔅 • 𝔅 •	
	Nom	Prénom	Numéro de téléphone mobile	Numéro de tél	E-mail	
1	API	COLLAB	0705060302		mentressangle60@gmail.com	

Remove application (POST)

1. Select let's try "removeApplication"

Modifies the contact person and the corresponding client user

/provisionningCollab/removeApplication



2. On the body, we change the fields that we want :

POST /provisionningCollab/removeApplicat	ion				
Modifie l'interlocuteur et l'utilisateur client correspondant					
Parameters					
No parameters					
Request body required					
Please look at the Example Value and Model below					
<pre>{ "email": "mentressangle@cegid.com", "codeDossier": "CEGID003", "offre": "consultation" }</pre>					

The Result 200 OK :

200

Response body

```
{
 "interloc": {
    "module": "cabinet",
   "className": "interlocuteur",
    "data": {
      "objectId": "6bd825aa-995e-44a4-a182-f03b5bc6a888",
     "$status": "none",
     "revisionId": "0x000000000006B3DC"
 },
 "user": {
   "module": "cabinet",
   "className": "utilisateurClient",
    "data": {
      "objectId": "cc9bcf7d-f1dd-4100-ad5d-ac08d69d598a",
     "$status": "none",
      "revisionId": "0x00000000006B3D7"
    3
 }
```